

# BRAIN RESEARCH MOLECULAR BRAIN RESEARCH

**VOL. 66 NOS. 1,2**

**CONTENTS**

**20 MARCH 1999**

*Cited in Biological Abstracts (BIOSIS) – Chem. Abstracts – Index Medicus (MEDLINE) – Current Contents (Life Sci.) – EMBASE/Excerpta Medica – Psychological Abstracts (PsycINFO) – Pascal et Francis (INIST-CNRS) – RIS (Reference Update) – Elsevier BIOBASE/Current Awareness in Biological Sciences*

*Guidelines for the submission of manuscripts*

v

*Research reports*

A novel type of non-coding RNA expressed in the rat brain Y. Komine, N.K. Tanaka, R. Yano, S. Takai, S. Yuasa, T. Shiroishi, K. Tsuchiya and T. Yamamori (Japan)	1
Nicotinic receptor binding sites in rat primary neuronal cells in culture: characterization and their regulation by chronic nicotine M.J. Dávila-García, R.A. Houghtling, S.S. Qasba and K.J. Kellar (USA)	14
Gene expression of histamine H1 receptor in guinea pig primary sensory neurons: a relationship between H1 receptor mRNA-expressing neurons and peptidergic neurons H. Kashiba, H. Fukui, Y. Morikawa and E. Senba (Japan)	24
Dehydroepiandrosterone (DHEA) protects hippocampal cells from oxidative stress-induced damage S. Bastianetto, C. Ramassamy, J. Poirier and R. Quirion (Canada)	35
NMDAR-2A subunit protein expression is reduced in the hippocampus of rats exposed to Pb <sup>2+</sup> during development M.K. Nihei and T.R. Guilarte (USA)	42
Molecular pathways mediating activation by kainate of mitogen-activated protein kinase in oligodendrocyte progenitors H.-N. Liu, J.N. Larocca and G. Almazan (Canada, USA)	50
Differential effects of GDNF and BDNF on cultured ventral mesencephalic neurons L. Feng, C.-Y. Wang, H. Jiang, C. Oho, K. Mizuno, M. Dugich-Djordjevic and B. Lu (USA, China)	62
Developmental changes in nicotinic receptor mRNAs and responses to nicotine in the suprachiasmatic nucleus and other brain regions B.F. O'Hara, E. Macdonald, D. Clegg, S.W. Wiler, R. Andretic, V.H. Cao, J.D. Miller, H.C. Heller and T.S. Kilduff (USA)	71
Cloning and expression of <i>Shaker</i> $\alpha$ - and $\beta$ -subunits during inner ear development M.S. Rajeevan, S. Hu, Y. Sakai and B.H.A. Sokolowski (USA)	83
Regional distribution of nicotinic receptor subunit mRNAs in human brain: comparison between Alzheimer and normal brain E. Hellström-Lindahl, M. Mousavi, X. Zhang, R. Ravid and A. Nordberg (Sweden, Netherlands)	94
Phase-dependent induction by light of rat <i>Clock</i> gene expression in the suprachiasmatic nucleus H. Abe, S. Honma, M. Namihira, Y. Tanahashi, M. Ikeda, W. Yu and K.-i. Honma (Japan)	104
Dopamine D-1 regulation of caudate neurotensin mRNA in the presence or absence of the nigrostriatal dopamine pathway G.R. Hanson and K.A. Keefe (USA)	111
Identification of <i>cis</i> -acting elements in the proximal promoter region for brain-specific exon 1 of the mouse aromatase gene S.-i. Honda, N. Harada, S. Abe-Dohmae and Y. Takagi (Japan)	122
Dynamic expression of SEK1 suggests multiple roles of the gene during embryogenesis and in adult brain of mice J.-K. Lee, W.-S. Hwang, Y.-D. Lee and P.-L. Han (South Korea)	133
Expression of a serine protease (motopsin PRSS12) mRNA in the mouse brain: in situ hybridization histochemical study N. Iijima, M. Tanaka, S. Mitsui, Y. Yamamura, N. Yamaguchi and Y. Ibata (Japan)	141
Impairments in learning and memory accompanied by neurodegeneration in mice transgenic for the carboxyl-terminus of the amyloid precursor protein J. Berger-Sweeney, D.L. McPhie, J.A. Arters, J. Greenan, M.L. Oster-Granite and R.L. Neve (USA)	150
Presynaptic localization of the PACAP-type1-receptor in hippocampal and cerebellar mossy fibres C. Otto, W. Züschratter, P. Gass and G. Schütz (Germany)	163
<i>Short communications</i>	
Cyclic nucleotide-gated cation channel expression in embryonic chick brain L.C. Timpe, K.L. Jin, L. Puelles and J.L.R. Rubenstein (USA, Spain)	175
Preproenkephalin mRNA and enkephalin levels in the adult Syrian hamster: the influence from glucocorticoids R. Jimenez, B.C. Yoburn, S.E. Calvano and S.O. Franklin (USA)	179

*(Contents continued on p. 219)*



0169-328X(19990320)66:1/2;1-W

# BRAIN RESEARCH MOLECULAR BRAIN RESEARCH

**VOL. 66 NOS. 1,2**

**CONTENTS**

**20 MARCH 1999**

*Cited in Biological Abstracts (BIOSIS) – Chem. Abstracts – Index Medicus (MEDLINE) – Current Contents (Life Sci.) – EMBASE/Excerpta Medica – Psychological Abstracts (PsycINFO) – Pascal et Francis (INIST-CNRS) – RIS (Reference Update) – Elsevier BIOBASE/Current Awareness in Biological Sciences*

## *Guidelines for the submission of manuscripts*

v

## *Research reports*

- A novel type of non-coding RNA expressed in the rat brain  
Y. Komine, N.K. Tanaka, R. Yano, S. Takai, S. Yuasa, T. Shiroishi, K. Tsuchiya and T. Yamamori (Japan) 1
- Nicotinic receptor binding sites in rat primary neuronal cells in culture: characterization and their regulation by chronic nicotine  
M.J. Dávila-García, R.A. Houghtling, S.S. Qasba and K.J. Kellar (USA) 14
- Gene expression of histamine H1 receptor in guinea pig primary sensory neurons: a relationship between H1 receptor mRNA-expressing neurons and peptidergic neurons  
H. Kashiba, H. Fukui, Y. Morikawa and E. Senba (Japan) 24
- Dehydroepiandrosterone (DHEA) protects hippocampal cells from oxidative stress-induced damage  
S. Bastianetto, C. Ramassamy, J. Poirier and R. Quirion (Canada) 35
- NMDAR-2A subunit protein expression is reduced in the hippocampus of rats exposed to Pb<sup>2+</sup> during development  
M.K. Nihei and T.R. Guilarte (USA) 42
- Molecular pathways mediating activation by kainate of mitogen-activated protein kinase in oligodendrocyte progenitors  
H.-N. Liu, J.N. Larocca and G. Almazan (Canada, USA) 50
- Differential effects of GDNF and BDNF on cultured ventral mesencephalic neurons  
L. Feng, C.-Y. Wang, H. Jiang, C. Oho, K. Mizuno, M. Dugich-Djordjevic and B. Lu (USA, China) 62
- Developmental changes in nicotinic receptor mRNAs and responses to nicotine in the suprachiasmatic nucleus and other brain regions  
B.F. O'Hara, E. Macdonald, D. Clegg, S.W. Wiler, R. Andretic, V.H. Cao, J.D. Miller, H.C. Heller and T.S. Kilduff (USA) 71
- Cloning and expression of *Shaker*  $\alpha$ - and  $\beta$ -subunits during inner ear development  
M.S. Rajeevan, S. Hu, Y. Sakai and B.H.A. Sokolowski (USA) 83
- Regional distribution of nicotinic receptor subunit mRNAs in human brain: comparison between Alzheimer and normal brain  
E. Hellström-Lindahl, M. Mousavi, X. Zhang, R. Ravid and A. Nordberg (Sweden, Netherlands) 94
- Phase-dependent induction by light of *Clock* gene expression in the suprachiasmatic nucleus  
H. Abe, S. Honma, M. Namihira, Y. Tanahashi, M. Ikeda, W. Yu and K.-i. Honma (Japan) 104
- Dopamine D-1 regulation of caudate neurotensin mRNA in the presence or absence of the nigrostriatal dopamine pathway  
G.R. Hanson and K.A. Keefe (USA) 111
- Identification of *cis*-acting elements in the proximal promoter region for brain-specific exon 1 of the mouse aromatase gene  
S.-i. Honda, N. Harada, S. Abe-Dohmae and Y. Takagi (Japan) 122
- Dynamic expression of SEK1 suggests multiple roles of the gene during embryogenesis and in adult brain of mice  
J.-K. Lee, W.-S. Hwang, Y.-D. Lee and P.-L. Han (South Korea) 133
- Expression of a serine protease (motopsin PRSS12) mRNA in the mouse brain: in situ hybridization histochemical study  
N. Iijima, M. Tanaka, S. Mitsui, Y. Yamamura, N. Yamaguchi and Y. Ibata (Japan) 141
- Impairments in learning and memory accompanied by neurodegeneration in mice transgenic for the carboxyl-terminus of the amyloid precursor protein  
J. Berger-Sweeney, D.L. McPhie, J.A. Arters, J. Greenan, M.L. Oster-Granite and R.L. Neve (USA) 150
- Presynaptic localization of the PACAP-type1-receptor in hippocampal and cerebellar mossy fibres  
C. Otto, W. Züschratter, P. Gass and G. Schütz (Germany) 163
- Short communications*
- Cyclic nucleotide-gated cation channel expression in embryonic chick brain  
L.C. Timpe, K.L. Jin, L. Puelles and J.L.R. Rubenstein (USA, Spain) 175
- Preproenkephalin mRNA and enkephalin levels in the adult Syrian hamster: the influence from glucocorticoids  
R. Jimenez, B.C. Yoburn, S.E. Calvano and S.O. Franklin (USA) 179

*(Contents continued on p. 219)*



0169-328X(19990320)66:1/2;1-W

*(contents continued)*

Acute intermittent morphine increases preprodynorphin and kappa opioid receptor mRNA levels in the rat brain X.-M. Wang, Y. Zhou, R. Spangler, A. Ho, J.-S. Han and M.J. Kreek (USA, China)	184
Phospholipase pathway in Alzheimer's disease brains: decrease in $G_{\alpha i}$ in dorsolateral prefrontal cortex R.A. Young, K. Talbot, Z.-y. Gao, J.Q. Trojanowski and B.A. Wolf (USA)	188
Regulation of hypothalamic somatostatin and growth hormone releasing hormone mRNA levels by inhibin E. Carro, R.M. Señaris, F. Mallo and C. Diéguez (Spain)	191
Localization of mRNA for <i>Dri 42</i> , subtype 2b of phosphatidic acid phosphatase, in the rat brain during development R. Suzuki, H. Sakagami, Y. Owada, Y. Handa and H. Kondo (Japan)	195
Sex steroid modulation of neurokinin B gene expression in the arcuate nucleus of adult male rats S.C. Danzer, R.O. Price, N.T. McMullen and N.E. Rance (USA)	200
Regional and cellular localization of calcitonin gene-related peptide-receptor component protein mRNA in the guinea-pig central nervous system K.R. Oliver, A. Wainwright, A.M. Kinsey, R.P. Heavens, D.J.S. Sirinathsinghji and R.G. Hill (UK)	205
Inducible transcription factor expression in a cell culture model of apoptosis A. Woodgate, M. Walton, G.A. MacGibbon and M. Dragunow (New Zealand)	211
<i>Author Index</i>	217



This journal is part of ContentsDirect, the *free* alerting service which sends tables of contents by e-mail for Elsevier Science books and journals. The quickest way to register for **ContentsDirect** is via the World Wide Web at: [www.elsevier.nl/locate/ContentsDirect](http://www.elsevier.nl/locate/ContentsDirect)

If you don't have access to the WWW you can register for this service by sending an e-mail message to [cdsubs@elsevier.co.uk](mailto:cdsubs@elsevier.co.uk) specifying the title of the publication you wish to register for. The tables of contents are also available on the Elsevier Science website at: [www.elsevier.nl](http://www.elsevier.nl) or [www.elsevier.com](http://www.elsevier.com) or [www.elsevier.co.jp](http://www.elsevier.co.jp)